Brain Research, 416 (1987) 409–411
Elsevier

Author Index

Aguilar-Roblero, R., see Bermúdez-Rattoni, F., 147
Allt, G., Blanchard, C.E. and Sikri, K., Distribution of filipin–sterol complexes in the unmeyelinated nerve fibre, 166
Alonso, T., see Rodriguez del Castillo, A., 113
Anderson, C.M., see Kilts, C.D., 402
Anselmetti, G.C., see Panzica, G.C., 59
Antoni, F.A., see Kiss, A., 129
Arriagada, J., see Inestrosa, N.C., 248

Babu, G.N., Marco, J., Bona-Gallo, A. and Gallo, R.V., Steroid-independent endogenous opioid peptide suppression of pulsatile luteinizing hormone release between estrus and diestrus 1 in the rat estrous cycle, 235
Balthazart, J., see Panzica, G.C., 59
Barraclough, C.A., see Burri, R., 267
Battaner, E., see Rodriguez del Castillo, A., 113
Bellin, S.I., Landas, S.K. and Johnson, A.K., Localized injections of 6-hydroxydopamine into lamina terminalis-associated structures: effects on experimentally induced drinking and pressor responses, 75
Benson, D.L., see Morrison, J.H., 331
Bermúdez-Rattoni, F., Fernández, J., Sánchez, M.A., Aguilar-Roblero, R. and Drucker-Colín, R., Fetal brain transplants induce recuperation of taste aversion learning, 147
Berthold, C.-H., see Corneliuson, O., 43
Blanchard, C.E., see Allt, G., 166
Bona-Gallo, A., see Babu, G.N., 235
Bouras, C., see Morrison, J.H., 331
Brand, J.G., Bryant, B.P., Cagan, R.H. and Kalinoski, D.L., Biochemical studies of taste sensation. XIII. Enantiomeric specificity of alanine taste receptor sites in catfish, *Ictalurus punctatus*, 119
Bryant, B.P., see Brand, J.G., 119
Buño Jr., W., see Núñez, A., 289
Burri, R., Petersen, S.L. and Barraclough, C.A., Effects of *p*-chlorophenylalanine on hypothalamic indoleamine levels and the associated changes which occur in catecholamine dynamics and LH surges in estrogen-treated ovariectomized rats, 267

Cagan, R.H., see Brand, J.G., 119
Calacagni, M., see Panzica, G.C., 59
Campbell, M.J., see Morrison, J.H., 331
Carey, R.G., see Horn, K.M., 187
Cazala, P., Darracq, C. and Saint-Marc, M., Self-administration of morphine into the lateral hypothalamus in the mouse, 283
Cervero, F., see Tattersall, J.E.H., 337
Chance, W.T., Foley-Nelson, T., Nelson, J.L. and Fisher, J.E., Neurotransmitter alterations associated with feeding and satiety, 228
Collins, J.G., A descriptive study of spinal dorsal horn neurons in the physiologically intact, awake, drug-free cat, 34
Colpaert, F.C., see Millan, M.J., 349
Corneliuson, O., Berthold, C.-H. and Fredman, P., Isolation of myelinoid Marchi-positive bodies from normal rabbit spinal cord, 43

Darracq, C., see Cazala, P., 283
Davidson, M., see McKinnon, G., 90
De Jersey, J., see McKinnon, G., 90
DeSalles, A.A.F., see Leichnetz, G.R., 195
Dray, F., see Gerozissis, K., 54
Drucker-Colín, R., see Bermúdez-Rattoni, F., 147
Dutar, P., see Lamour, Y., 277

Ebihara, S., Hudson, D.J., Marks, T. and Menaker, M., Pineal indole metabolism in the mouse, 136
Eskay, R.L., see Kiss, A., 129

Fernández, J., see Bermúdez-Rattoni, F., 147
Ferrante, R.J., and Kowall, N.W., Tyrosine hydroxylase-like immunoreactivity is distributed in the matrix compartment of normal human and Huntington's disease striatum, 141
Fischer, J.E., see Chance, W.T., 228
Foley-Nelson, T., see Chance, W.T., 228
Fortner, P., see McDevitt, L., 308
Franklin, C.L. and Gruol, D.L., Acute ethanol alters the firing pattern and glutamate response of cerebellar Purkinje neurons in culture, 205
Fredman, P., see Corneliuson, O., 43
Friedman, D.P., see Nelson, R.B., 387
Fujita, S.C., see Onoda, N., 359
Furuichi, H., see Sugaya, E., 183

Gallo, R.V., see Babu, G.N., 235
García-Austt, E., see Núñez, A., 289
Gerozissis, K., Saadi, M. and Dray, F., Leukotrienes C_4 and D_4 stimulate the release of luteinizing hormone-releasing hormone from rat median eminence in vitro, 54
Goltzman, D. and Tannenbaum, G.S., Induction of hypocalcemia by intracerebroventricular injection of calcitonin: evidence for control of blood calcium by the nervous system, 1
Gonzalo-Ruiz, A., see Lechnetz, G.R., 195
Gruol, D.L., see Franklin, C.L., 205
Guerra, M., see Rodriguez del Castillo, A., 113
Gulyás, J., see Merchenthaler, I., 219

Hama, K., see Kawaguchi, Y., 369
Hamaji, M., Kawai, Y., Kawashima, Y. and Tohyama, M., Projections of bombesin-like immunoreactive fibers from the rat stomach to the celiac ganglion revealed by a double-labeling technique, 192
Harris-Warrick, R.M. and Johnson, B.R., Potassium channel blockade induces rhythmic activity in a conditional buster neuron, 381
Hauser, K.F., McLaughlin, P.J. and Zagon, I.S., Endogenous opioids regulate dendritic growth and spine formation in developing rat brain, 157
Hayes, R.L., see Leichnetz, G.R., 195
Heinemann, U.H., see Jones, R.S.G., 257
Heizmann, C.W., see Kawaguchi, Y., 369
Herz, A., see Millan, M.J., 349
Horn, K.M. and Carey, R.G., Kainic acid-induced terminal degeneration in the dorsal lateral geniculate of tree shrew, 187

Hudson, D.J., see Ebihara, S., 136
Huntley, G.W., see Morrison, J.H., 331

Ikarashi, K., see Shojaku, H., 100
Imazato-Tanaka, C., see Washio, H., 69
Inenaga, K., see Yamashita, H., 364
Inestrosa, N.C., Sunkel, C. and Arriagada, J., The sensory projections of *Drosphila* mutants which show abnormal wing formation or flying behavior, 248
Izumiyama, K., Kogure, K., Kataoka, S. and Nagata, T., Quantitative analysis of glucose after transient ischemia in the gerbil hippocampus by light and electron microscope radioautography, 175

Jen, P.H.-S., see Zhang, S., 375
Jobert, A., see Lamour, Y., 277
Johnson, A.K., see Bellin, S.I., 75
Johnson, B.R., see Harris-Warrick, R.M., 381
Johnson, K.M., see Zukin, S.R., 84
Jolkkonen, J., see Pitkänen, A., 180
Jones, R.S.G. and Heinemann, U.H., Differential effects of calcium entry blockers on pre- and postsynaptic influx of calcium in the rat hippocampus in vitro, 257

Kajiwara, K., see Sugaya, E., 183
Kalinoski, D.L., see Brand, J.G., 119
Kanda, K., see Washio, H., 69
Kaneko, T., see Yamashita, H., 364
Kannan, H., see Yamashita, H., 364
Kasai, M., see Yamashita, H., 364
Kataoka, S., see Izumiyama, K., 175
Kataoka, Y., Shibata, K., Yamashita, K. and Ueki, S., Differential mechanisms involved in the anticonflict action of benzodiazepines injected into the central amygdala and mammillary body, 243
Katsumaru, H., see Kawaguchi, Y., 369
Kawaguchi, Y., Katsumaru, H., Kosaka, T., Heizmann, C.W. and Hama, K., Fast spiking cells in rat hippocampus (CA_1 region) contain the calcium-binding protein parvalbumin, 369
Kawai, N., see Miwa, A., 162
Kawai, Y., see Hamaji, M., 192
Kawasaki, T., see Shojaku, H., 100
Kawashima, Y., see Hamaji, M., 192
Kilts, C.D. and Anderson, C.M., Mesoamygdaloid dopamine neurons: differential rates of dopamine turnover in discrete amygdaloid nuclei of the rat brain, 402
Kishi, M., see Kuriyama, K., 7
Kiss, A., Palkovits, M., Antoni, F.A., Eskay, R.L. and Skirboll, L.R., Neurotensin in the rat median eminence: the possible sources of neurotensin-like fibers and varicosities in the external layer, 129
Kogure, K., see Izumiyama, K., 175
Komatsubara, J., see Sugaya, E., 183
Kosaka, T., see Kawaguchi, Y., 369
Kowall, N.W., see Ferrante, R.J., 141
Kumoi, K., Saito, N. and Tanaka, C., Immunohistochemical localization of γ-aminobutyric acid- and aspartate-containing neurons in the guinea pig vestibular nuclei, 22
Kuriyama, K., Tomono, S., Kishi, M., Mukainaka, T. and Ohkuma, S., Development of γ-aminobutyric acid (GABA)ergic neurons in cerebral cortical neurons in primary culture, 7

Lamour, Y., Dutar, P. and Jobert, A., Septo-hippocampal neurons: altered properties in the aged rat, 277
Landas, S.K., see Bellin, S.I., 75
Leichnetz, G.R., Gonzalo-Ruiz, A., DeSalles, A.A.F. and Hayes, R.L., The frontal eye field and prefrontal cortex project to the paramedian pontine reticular formation in the cat, 195
Lewis, D.A., see Morrison, J.H., 331
Lázár, G., see Merchenthaler, I., 219

Maderdrut, J.L., see Merchenthaler, I., 219
Marco, J., see Babu, G.N., 235
Marks, T., see Ebihara, S., 136
Markus, H. and Pomeranz, B., Saphenous has weak ineffective synapses in sciatic territory of rat spinal cord: electrical stimulation of the saphenous or application of drugs reveal these somatotopically inappropriate synapses, 315
Mas, M., see Rodriguez del Castillo, A., 113
McDevitt, L., Fortner, P. and Pomeranz, B., Application of weak electric field to the hindpaw enhances sciatic motor nerve regeneration in the adult rat, 308
McKinnon, G., Davidson, M., De Jersey, J., Shanley, B. and Ward, L., Effects of acetaldehyde on polymerization of microtubule proteins, 90
McLaughlin, P.J., see Hauser, K.F., 157
Menaker, M., see Ebihara, S., 136
Merchenthaler, I., Maderdrut, J.L., Lázár, G., Gulyás, J. and Petrusz, P., Immunocytochemical analysis of proenkephalin-derived peptides in the amphibian hypothalamus and optic tectum, 219
Millan, M.J., Morris, B.J., Colpaert, F.C. and Herz, A., A model of chronic pain in the rat: high-resolution neuroanatomical approach identifies alterations in multiple opioid systems in the periaqueductal grey, 349
Mishkin, M., see Nelson, R.B., 387
Mitsuhiro, Y., see Yoshida, A., 393
Miwa, A., Kawai, N. and Ui, M., Pertussis toxin blocks presynaptic glutamate receptors — a novel 'glutamate$_B$' receptor in the lobster neuromuscular synapse, 162
Mizuno, N., see Uemura, Y., 200
Moore, K.E., see Shannon, N.J., 322
Morimoto, M., see Shimizu, N., 153
Morris, B.J., see Millan, M.J., 349
Morrison, J.H., Lewis, D.A., Campbell, M.J., Huntley, G.W., Benson, D.L. and Bouras, C., A monoclonal antibody to non-phosphorylated neurofilament protein marks the vulnerable cortical neurons in Alzheimer's disease, 331
Mukainaka, T., see Kuriyama, K., 7

Nagata, T., see Izumiyama, K., 175
Nagatsu, I., see Uemura, Y., 200
Nelson, J.L., see Chance, W.T., 228
Nelson, R.B., Friedman, D.P., O'Neill, J.B., Mishkin, M. and Routtenberg, A., Gradients of protein kinase C substrate phosphorylation in primate visual system peak in visual memory storage areas, 387
Nichtenhauser, R., see Zukin, S.R., 84
Nomura, S., see Uemura, Y., 200
Nomoto, S., see Washio, H., 69
Núñez, A., García-Austt, E. and Buño Jr., W., Intracellular θ-rhythm generation in identified hippocampal pyramids, 289

Ohkuma, S., see Kuriyama, K., 7
Okuya, S., see Yamashita, H., 364
O'Neill, J.B., see Nelson, R.B., 387
Onoda, N. and Fujita, S.C., A monoclonal antibody specific

for a subpopulation of retinal bipolar cells in the frog and other vertebrates, 359
Oomura, Y., see Shimizu, N., 153
O'Regan, M.H., see Phillis, J.W., 171
Otani, K., see Yoshida, A., 393

Palkovits, M., see Kiss, A., 129
Panzica, G.C., Viglietti-Panzica, C., Calacagni, M., Anselmetti, G.C., Schumacher, M. and Balthazart, J., Sexual differentiation and hormonal control of the sexually dimorphic medial preoptic nucleus in the quail, 59
Peets, J.M. and Pomeranz, B., Studies in suppression of nocifensive reflexes measured with tail flick electromyograms and using intrathecal drugs in barbiturate anesthetized rats, 301
Petersen, S.L., see Burri, R., 267
Petrusz, P., see Merchenthaler, I., 219
Phelps, C.J., Isolated deficiency of tyrosine hydroxylase immunoreactivity in tuberoinfundibular neurons in pituitary prolactin-deficient Snell dwarf mice, 354
Phillis, J.W., O'Regan, M.H. and Stair, R.E., Adenosine potentiation and antagonism may account for the diverse behavioral actions of Ro 5-4864, 171
Pitkänen, A., Jolkkonen, J. and Riekkinen, P.J., Somatostatin-like immunoreactivity (SLI) in cisternal cerebrospinal fluid of rats kindled by pentylenetetrazol, 180
Plata-Salamán, C.R., see Shimizu, N., 153
Plenderleith, M.B., see Tattersall, J.E.H., 337
Pomeranz, B., see Markus, H., 315
Pomeranz, B., see McDevitt, L., 308
Pomeranz, B., see Peets, J.M., 301

Riekkinen, P.J., see Pitkänen, A., 180
Rivier, J., see Zukin, S.R., 84
Rodriguez del Castillo, A., Battaner, E., Guerra, M., Alonso, T. and Mas, M., Regional changes of brain Na^+,K^+-transporting adenosine triphosphatase related to ovarian function, 113
Routtenberg, A., see Nelson, R.B., 387

Saadi, M., see Gerozissis, K., 54
Saint-Marc, M., see Cazala, P., 283
Saito, N., see Kumoi, K., 22
Sánchez, M.A., see Bermúdez-Rattoni, F., 147
Sato, Y., see Shojaku, H., 100
Schumacher, M., see Panzica, G.C., 59
Shanley, B., see McKinnon, G., 90
Shannon, N.J. and Moore, K.E., Determination of the source of 5-hydroxytryptaminergic neuronal projections to the neural and intermediate lobes of the rat pituitary gland through the use of electrical stimulation and lesioning experiments, 322
Shibata, K., see Kataoka, Y., 243
Shigenaga, Y., see Yoshida, A., 393
Shimizu, N., Oomura, Y., Plata-Salamán, C.R. and Morimoto, M., Hyperphagia and obesity in rats with bilateral ibotenic acid-induced lesions of the ventromedial hypothalamic nucleus, 153
Shojaku, H., Sato, Y., Ikarashi, K. and Kawasaki, T., Topographical distribution of Purkinje cells in the uvula and the nodulus projecting to the vestibular nuclei in cats, 100
Sikri, K., see Allt, G., 166
Skirboll, L.R., see Kiss, A., 129
Snell, L.D., see Zukin, S.R., 84
Stair, R.E., see Phillis, J.W., 171
Sugaya, E., Furuichi, H., Takagi, T., Kajiwara, K. and Komatsubara, J., Intracellular calcium concentration during pentylenetetrazol-induced bursting activity in snail neurons, 183
Sugimoto, T., see Uemura, Y., 200
Sun, X., see Zhang, S., 375
Sunkel, C., see Inestrosa, N.C., 248

Takagi, T., see Sugaya, E., 183
Tanaka, C., see Kumoi, K., 22
Tannenbaum, B.S., see Goltzman, D., 1
Tattersall, J.E.H., Cervero, F. and Plenderleith, M.B., Distribution of sural nerve afferent fibres within the dorsal horn of adult rats treated at birth with capsaicin, 337
Tohyama, M., see Hamaji, M., 192
Tomono, S., see Kuriyama, K., 7
Tsuru, K., see Yoshida, A., 393

Ueki, S., see Kataoka, Y., 243
Uemura, Y., Sugimoto, T., Nomura, S., Nagatsu, I. and Mizuno, N., Tyrosine hydroxylase-like immunoreactivity and catecholamine fluorescence in ciliary ganglion neurons, 200
Uesugi, S., see Yamashita, H., 364
Ui, M., see Miwa, A., 162
Ulenkate, H.J.L.M., see Versteeg, D.H.G., 343

Vale, W., see Zukin, S.R., 84
Versteeg, D.H.G. and Ulenkate, H.J.L.M., Basal and electrically stimulated release of [^{3}H]noradrenaline and [^{3}H]dopamine from rat amygdala slices in vitro: effects of 4α-phorbol 12,13-dibutyrate, 4β-phorbol 12,13-didecanoate and polymyxin B, 343
Viglietti-Panzica, C., see Panzica, G.C., 59

Ward, L., see McKinnon, G., 90
Washio, H., Imazato-Tanaka, C., Kanda, K. and Nomoto, S., Choline acetyltransferase and acetylcholinesterase activities in muscles of aged mice, 69

Yamashita, H., Okuya, S., Inenaga, K., Kasai, M., Uesugi, S., Kannan, H. and Kaneko, T., Oxytocin predominantly exites putative oxytocin neurons in the rat supraoptic nucleus in vitro, 364
Yamashita, K., see Kataoka, Y., 243
Yoshida, A., Tsuru, K., Mitsuhiro, Y., Otani, K. and Shigenaga, Y., Morphology of masticatory motoneurons stained intracellularly with horseradish peroxidase, 393

Zagon, I.S., see Hauser, K.F., 157
Zhang, S., Sun, X. and Jen, P.H.-S., Anatomical study of neural projections to the superior colliculus of the big brown bat, *Eptesicus fuscus*, 375
Zukin, R.S., see Zukin, S.R., 84
Zukin, S.R., Zukin, R.S., Vale, W., Rivier, J., Nichtenhauser, R., Snell, L.D. and Johnson, K.M., An endogenous ligand of the brain σ/PCP receptor antagonizes NMDA-induced neurotransmitter release, 84